

Stanford scientists spark new interest in the century-old Edison battery

Eurekaalert!

Stanford University scientists have breathed new life into the nickel-iron battery, a rechargeable technology developed by Thomas Edison more than a century ago.

Designed in the early 1900s to power electric vehicles, the Edison battery largely went out of favor in the mid-1970s. Today only a handful of companies manufacture nickel-iron batteries, primarily to store surplus electricity from solar panels and wind turbines.

"The Edison battery is very durable, but it has a number of drawbacks," said Hongjie Dai, a professor of chemistry at Stanford. "A typical battery can take hours to charge, and the rate of discharge is also very slow."

Now, Dai and his Stanford colleagues have dramatically improved the performance of this century-old technology. The Stanford team has created an ultrafast nickel-iron battery that can be fully charged in about 2 minutes and discharged in less than 30 seconds. The results are published in the June 26 issue of the journal *Nature Communications*.

"We have increased the charging and discharging rate by nearly 1,000 times," said Stanford graduate student Hailiang Wang, lead author of the study. "We've made it really fast."

The high-performance, low-cost battery could some day be used to help power electric vehicles, much as Edison originally intended, Dai said. "Hopefully we can give the nickel-iron battery a new life," he added.

Electric vehicles

Edison, an early advocate of all-electric vehicles, began marketing the nickel-iron battery around 1900. It was used in electric cars until about 1920. The battery's long life and reliability made it a popular backup power source for railroads, mines and other industries until the mid-20th century.

Edison created the nickel-iron battery as an inexpensive alternative to corrosive lead-acid batteries. Its basic design consists of two electrodes – a cathode made of nickel and an anode made of iron – bathed in an alkaline solution. "Importantly, both nickel and iron are abundant elements on Earth and relatively nontoxic," Dai noted.

Carbon has long been used to enhance electrical conductivity in electrodes. To improve the Edison battery's performance, the Stanford team used graphene –

Stanford scientists spark new interest in the century-old Edison battery

Published on Electronic Component News (<http://www.ecnmag.com>)

nanosized sheets of carbon that are only one-atom thick – and multi-walled carbon nanotubes, each consisting of about 10 concentric graphene sheets rolled together.

"In conventional electrodes, people randomly mix iron and nickel materials with conductive carbon," Wang explained. "Instead, we grew nanocrystals of iron oxide onto graphene, and nanocrystals of nickel hydroxide onto carbon nanotubes."

This technique produced strong chemical bonding between the metal particles and the carbon nanomaterials, which had a dramatic effect on performance. "Coupling the nickel and iron particles to the carbon substrate allows electrical charges to move quickly between the electrodes and the outside circuit," Dai said. "The result is an ultrafast version of the nickel-iron battery that's capable of charging and discharging in seconds."

Future applications

The 1-volt prototype battery developed in Dai's lab has just enough power to operate a flashlight. The researchers' goal is to make a bigger battery that could be used for the electrical grid or transportation.

Most electric cars, such as the Nissan Leaf and the Chevy Volt, run on lithium-ion batteries, which can store a lot of energy but typically take hours to charge. "Our battery probably won't be able to power an electric car by itself, because the energy density is not ideal," Wang said. "But it could assist lithium-ion batteries by giving them a real power boost for faster acceleration and regenerative braking."

The enhanced Edison battery might be especially useful in emergency situations, Dai added. "There may be applications for the military, for example, where you have to charge something very quickly," he said.

"It's definitely scalable," Wang said. "Nickel, iron and carbon are relatively inexpensive. And the electrolyte is just water with potassium hydroxide, which is also very cheap and safe. It won't blow up in a car."

The prototype battery has one key drawback – the ability to hold a charge over time. "It doesn't have the charge-discharge cycling stability that we would like," Dai said. "Right now it decays by about 20 percent over 800 cycles. That's about the same as a lithium-ion battery. But our battery is really fast, so we'd be using it more often. Ideally, we don't want it to decay at all."

"The use of strongly coupled nanomaterials represents a very exciting approach to making electrodes," he said. "It's different from traditional methods, where you simply mix materials together. I think Thomas Edison would be happy to see this progress."

Other co-authors of the study are postdoctoral scholars Yongye Liang and Yanguang Li, graduate student Ming Gong, and undergraduates Wesley Chang and Tyler Mefford of Stanford; Jigang Zhou, Jian Wang and Tom Regier of Canadian Light Source, Inc.; and Fei Wei of Tsinghua University.

Stanford scientists spark new interest in the century-old Edison battery

Published on Electronic Component News (<http://www.ecnmag.com>)

This work was supported by Intel; a Stinehart/Reed Award from the Precourt Institute for Energy at Stanford; and a Stanford graduate fellowship.

This article was written by Mark Shwartz, the Precourt Institute for Energy at Stanford University.

Source URL (retrieved on 04/19/2015 - 1:09am):

http://www.ecnmag.com/news/2012/06/stanford-scientists-spark-new-interest-century-old-edison-battery?qt-most_popular=0