

Surface-mount DC-DC LED driver provides output up to 700 mA



CUI announced the addition of a new surface mount series to its high efficiency, constant current dc-dc LED driver family. Designed to drive high power LEDs, the VLD25-SMT series provides efficiency levels of up to 96%, current accuracy of $\pm 2\%$, and an ultra-wide input range of 5.5 to 48 Vdc. The series offers two means of LED dimming: PWM digital dimming and analog dimming control via a trim pot, making it ideal for applications where precise accuracy and brightness control is needed, including signage, transport, consumer electronics, and signaling.

The series is compact, measuring 0.94 x 0.54 x 0.30 inches in a 16-pin SMT package. Available output currents include 300, 350, 500, 600, and 700 mA with an output voltage range of 3.3 to 36 Vdc. The VLD25-SMT series has an ambient operating temperature range of -40°C to $+85^{\circ}\text{C}$ at full load in the 300 mA and 350 mA versions and -40°C to $+71^{\circ}\text{C}$ in the 500 mA, 600 mA, and 700 mA versions. Short-circuit protection and on/off control are standard features. The VLD25-SMT series is available immediately through Digi-Key starting at \$7.95 for 1,000 pieces. For quantities over 1,000 pieces, please contact CUI directly for OEM pricing.

Summary

Product name: VLD25-SMT series

Availability: 5 weeks production

Possible users: LED applications where precise accuracy and brightness control is needed

Surface-mount DC-DC LED driver provides output up to 700 mA

Published on Electronic Component News (<http://www.ecnmag.com>)

Primary features: high efficiency, constant current dc output

Cost: \$7.95 per unit at 1000 pcs through Digi-Key

For more information, please visit www.cui.com [1]

Source URL (retrieved on 01/29/2015 - 1:33pm):

http://www.ecnmag.com/product-releases/2012/06/surface-mount-dc-dc-led-driver-provides-output-700-ma?qt-most_popular=0

Links:

[1] <http://www.cui.com>