

DC/DC converter modules boast high power density



Power Sources Unlimited, Inc. announces the new THN-30 and THN-30WI Series of high-performance single and dual output DC/DC converter modules with high power density.

All models have a wide-input voltage range of 2:1 or 4:1 and precisely regulated output voltages of 3.3, 5.0, 12, 15, 24, & ± 12 , ± 15 VDC, even under no load conditions. High efficiency across load range makes this product very reliable and with an operating temperatures range of -40°C to $+80^{\circ}\text{C}$ they are ideally suited for extreme temperature conditions.

Packaged in a 1" x 1" x 0.4" six-sided shielded metal case with insulated baseplate, additional features include low input current at no load, remote On/Off control, and protection against over temperature and short circuit make these converters an ideal solution for battery-operated systems. Typical applications are in mobile equipments, instrumentation, distributed power architectures in communication and industrial electronics and everywhere where space on the PCB is critical.

Units start in the mid \$40's in OEM quantities. Prototypes are available in 2-4 weeks, production quantities from 8-10 weeks ARO.

PSUI is the ISO 9001:2008 North America Authorized Distributor for Traco Power.

Download full specifications and procure parts online at www.psui.com/tracopower/thn-30-dc-dc-wide-input.htm.

Power Sources Unlimited, Inc.,
800-966-7784

DC/DC converter modules boast high power density

Published on Electronic Component News (<http://www.ecnmag.com>)

www.psui.com [1]

Source URL (retrieved on 03/06/2015 - 5:35pm):

<http://www.ecnmag.com/product-releases/2012/10/dc/dc-converter-modules-boast-high-power-density>

Links:

[1] <http://www.psui.com>